



Roca

Stone Basel



PORCELAIN

Stone Basel

Stone Basel replicates the soft touch of volcanic rock polished by water and its texture under light in a porcelain proposal for both floor and wall. This collection is ideal for those who seek perfection and take care of every detail.

Stone Basel Grafito 24"x48"

Color Body Porcelain

24"x48" R - 12"x24" R



Stone Basel Caliza 24"x48" R



Stone Basel Gris 12"x24" R



Stone Basel Negro 12"x24" R

Stone Basel

Color Body Porcelain



24"x48" R 12"x24" R
60x120 cm 30x120 cm

Caliza



24"x48" R
FKTR054ZA1



12"x24" R
FKTRO57ZA1




Gris



24"x48" R
FKTR054021



12"x24" R
FKTR057021



Grafito



24"x48" R
FKTR054101



12"x24" R
FKTR057101



Negro



24"x48" R
FKTR054161



12"x24" R
FKTR057161

Stone Basel

Ceramic Wall



Suite Caliza



16"x48" R
FKTR6MCZA1

Technical Specifications (Floor)

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 450
Scratch Hardness	MOH's Scale	5
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
Deep Abrasion - Unglazed Tiles	C1243	Pass
PEI- Glazed Tiles***	C1027	-
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Technical Specifications (Wall)

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	>10%
Break Strength	C648	Meets or Exceeds
Scratch Hardness	MOH's Scale	-
Chemical Resistance	C650	Unaffected
Shade and Texture Rating	CTDA "V"	V3
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton
12"x24"	13.56	7
24"x48"	15.50	2
16"x48"	15.50	3