

# **Tribe**



## **Tribe**

Inspired by tribal prints, this series provides a wide range of patterns that can be played around with to obtain a space that is out of the box, using cool tones that are easy to combine.

**Gres Stoneware** 

⇔ ⇔ 8″x8″

### Tribe

#### Gres Stoneware







**8"x8"** 20x20 cm



lvory






lvory



**8"x8" Lines** TRB002-88



#### Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<3%
Break Strength	C648	Min. 250
Scratch Hardness	MOH's Scale	5
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	-
Deep Abrasion - Unglazed Tiles	C1243	-
PEI- Glazed Tiles	C1027	4
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA "V"	V1
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

#### Packaging Info

Size	SF per carton	PC per carton	BX per pallet
8"x8"	12.70	30	72

4 | Tribe Tribe | 5