



The Abbey collection will give any interior the warm charm of untreated wood. A $simple, unadorned \, floor \, that \, expresses \, its$ naturalness in long planks playing tribute to rustic floors.

Glazed Porcelain

- 8"x48" R
- ⇒ 16"x48"R, 12"x36" R

2 | Abbey







4 | Abbey | 5

Glazed Porcelain





Fresno

8"x48" R FN8W0FP831

8"x48" R ABS FN8WAFP831



Roble

8"x48" R FN8W0FP741

8"x48" R ABS FN8WAFP741



Gris

8"x48" R FN8W0FP021

8"x48" R ABS FN8WAFP021



Vison

8"x48" R FN8W0FP141

8"x48" R ABS FN8WAFP141

6 | **Abbey** Abbey | 7

Ceramic Wall





12"x36" R 30x90cm



Suite Roble

12"x36" R FOA3TAW741

Technical Specifications (Floor)

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 290
Scratch Hardness	MOH's Scale	7
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
Deep Abrasion - Unglazed Tiles	C1243	Pass
PEI - Glazed Tiles	C1027	-
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.50
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Technical Specifications (Wall)

STANDARD	DECLARED ASTM
C373	>10%
C648	Meet or Exceeds
MOH's Scale	-
C650	Unaffected
CTDA "V"	V2
C485	Pass
C502	Pass
	C373 C648 MOH's Scale C650 CTDA "V" C485

Packaging Information

Size	SF per carton	PC per carton	BX per pallet
8"x48"	20.15	8	48
12"x36"	14.56	5	51

8 | Abbey Abbey | 9