



RECOMMENDATIONS FOR USE - ROCKART MOSAICS

Roca

Guidelines for use of Rockart Mosaics by Roca

Please follow guidelines below to determine appropriate use of the Rockart Marble Mosaics by Roca USA.

RECOMMENDED TRAFFIC

R: Residential: Suitable for residential use. Not recommended for commercial areas.

M/L: Medium/Light Commercial: Suitable for light commercial and residential use.

H: Heavy Commercial: Suitable for most commercial and/or high traffic areas.

N/A: Not recommended for floor use.

STONE CHARACTERISTICS

Group I: Clean stones with no geological imperfections or fissures. Filling or patching is not necessary for these stones.

Group II: Geological imperfections may be evident.

If holes or imperfections are found, they may be filled with epoxy or resin.

Group III: These stones may structural flaws such as holes, voids, or lines of separation. Repairing these stones is considered standard practice.

Group IV: These stones contain larger natural imperfections and require more refinishing over time, yet the same care is required as stones from Group III.

Stone Characteristics serve as a guide to classify thicker stones (Group I & II) from more delicate stones (Group III & IV). Stones defined as Groups III & IV may require care before, during and after installation.

COLOR VARIATION

CV1: Low: Background color is relatively even.

CV2: Medium: Background color contains small variations.

CV3: High: Background color contains distinct variations.

CV4: Random. Varies in color and veining. Laying out the mosaics to blend the different color/veining prior to installation is strongly recommended.

RECOMMENDATIONS FOR EXTERIOR USE:

Y/F&W: Suitable for covered exterior floors in freezing and non-freezing climates.

Y/WALL: Suitable for covered exterior walls in freezing and non-freezing climates.

NO: Not recommended for exterior applications.

It is not recommended for some stones to be in constant contact with water. Water may cause the stone to collect chemical particles that can produce formations on the surface of the stone, changing its appearance.

ADDITIONAL CONSIDERATIONS:

★ If stone mosaic is sealed and maintained properly, product is recommended for use in interior wet areas. If mosaic is not properly maintained, the stone look could be altered. Please contact your sealer for more information about products that are recommended to protect the stone from moisture exposure.

★ Stone mosaic may contain fossils, dry seams, glass veins or pits that are filled at the factory or during installation. These are innate physical characteristics of natural stone. These natural cavities can sometimes lose their fillings and should be refilled as part of regular maintenance.

★ Sealing this product is recommended. (Note: Some limestone and tumbled stone needs to be sealed prior to grouting.)

***Polished surfaces are not recommended for floor areas where slip resistance is a concern.














CONDITIONS OF PURCHASE













Natural stone products naturally lack consistency and are subject to variation in appearance such as color, shade, finish, etc.; as well as technical characteristics such as hardness, strength, slip resistance, etc.

Please note natural stone products do not meet minimum coefficient of friction thresholds recommended by safety standard setting organizations.

Check local building codes prior to specification or installation to verify that product technical characteristics comply with project requirements.

No warranties, express or implied, relative to merchantability or fitness for a particular purpose are made regarding the natural stone products distributed by Roca USA Inc.

ITEM	IMAGE	FINISH	SIZE	THICKNESS	RECOMMENDED GROUT JOINT	TYPE OF STONE	RECOMMENDED TRAFFIC	STONE CHARACTERISTICS	COLOR VARIATION	RECOMMENDED FOR EXTERIOR	STONE ORIGIN	ADDITIONAL CONSIDERATIONS
USTMHERR001		Polished	12"x12"	9/32	3/32	CARRARA	M/L	GROUP I	CV2	Y/WALL	ITALY	★ ★ ★
USTMBSWE002		Polished	12"x12"	9/32	3/32	ORIENTAL WHITE	M/L	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
USTMBSWI003		Polished	12"x12"	9/32	3/32	ORIENTAL WHITE / MONGOLIA BLACK	M/L	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
USTMCBWI003		Polished	12"x12"	9/32	3/32	ORIENTAL WHITE	M/L	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
USTMMFLO004		Polished	10"x12"	9/32	3/32	CARRARA / ARISTON	R	GROUP II	CV2	Y/ WALL	ITALY	★ ★ ★
USTMSPKE005		Polished	10"x12"	9/32	3/32	CARRARA	M/L	GROUP I	CV2	Y/WALL	ITALY	★ ★ ★
USTMROMB006		Polished	12"x12"	9/32	1/8	CARRARA	R	GROUP I	CV2	Y/WALL	ITALY	★ ★ ★
USTMRMBS007		Polished	12"x12"	9/32	3/32	CARRARA	M/L	GROUP II	CV2	Y/WALL	ITALY	★ ★ ★
USTMCREY008		Polished	12"x12"	5/16	3/32	VOLAKAS / SHELL	R	GROUP II	CV2	NO	ITALY	★ ★ ★
USTMNETB009		Polished	12"x12"	9/32	3/32	VOLAKAS / MONGOLIA BLACK	R	GROUP I	CV2	Y/WALL	GREECE CHINA	★ ★ ★
USTMNETG010		Polished	12"x12"	9/32	3/32	VOLAKAS / CARRARA	R	GROUP I	CV2	Y/WALL	ITALY GREECE	★ ★ ★
USTMCHEV011		Polished	11"x12"	9/32	3/32	TASSOS / CARRARA	M/L	GROUP I	CV2	Y/WALL	ITALY GREECE	★ ★ ★
USTMBWHX012		Polished	9"x12"	9/32	3/32	ARISTON / MONGOLIA BLACK	R	GROUP II	CV2	NO	GREECE CHINA	★ ★ ★

ITEM	IMAGE	FINISH	SIZE	THICKNESS	RECOMMENDED GROUT JOINT	TYPE OF STONE	RECOMMENDED TRAFFIC	STONE CHARACTERISTICS	COLOR VARIATION	RECOMMENDED FOR EXTERIOR	STONE ORIGIN	ADDITIONAL CONSIDERATIONS
FWMGST1001		28.6% Polished 71.4% Matte	12"x12"	1/4	1/8	CARRARA MARBLE / RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMGST2005		28.6% Polished 71.4% Matte	12"x12"	1/4	1/8	GRAY MARBLE / RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMGST1002		23% Polished 77% Matte	12"x12"	1/4	1/8	CARRARA MARBLE / RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMGST2009		23% Polished 77% Matte	12"x12"	1/4	1/8	GRAY MARBLE / RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMRGLD001		Matte	12"x12"	1/4	1/8	RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMRGLD002		Matte	12"x12"	1/4	1/8	RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMRGLES01		Matte	12"x12"	1/4	1/8	RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
FWMRGLES02		Matte	12"x12"	1/4	1/8	RECYCLED GLASS	R	GROUP I	CV2	Y/WALL	CHINA	★ ★ ★
USTMCWME011		Polished	12"x14"	1/4	3/32	CARRARA WHITE	M/L	GROUP I	CV2	Y/WALL	ITALY	★ Metal: Stainless Steel
USTMNMME012		Polished	12"x14"	1/4	3/32	NERO MARQUINA	M/L	GROUP I	CV2	Y/WALL	CHINA	★ Metal: Stainless Steel
USTMTAARE013		Polished	10"x12"	1/4	3/32	THASSOS	M/L	GROUP I	CV2	Y/WALL	ITALY	★ Metal: Stainless Steel
USTMNMARE014		Polished	10"x12"	1/4	3/32	NERO MARQUINA	M/L	GROUP I	CV2	Y/WALL	CHINA	★ Metal: Stainless Steel