

Borneo Chevron



Borneo Chevron

Borneo Chevron, a porcelain tile that replicates the characteristic geometric arrows of wooden floors. With as many installation possibilities as you can imagine, Borneo Chevron enables the combination of right and left arrows to create original sequences for residential or commercial projects.

Glazed Porcelain

⇔ ◇ 3.4"x17.3"

Borneo Chevron

Glazed Porcelain



Fresno






Gris




Installation Suggestions




A & B Classic Installation




A & B Line Installation



A & B Arrow Installation



A & B Cube Installation



A & B Diamond Installation

Technical Specifications

| CHARACTERISTICS | STANDARD | DECLARED ASTM |
|--|-------------|---------------|
| Water Absorption | C373 | <=0.5% |
| Break Strength | C648 | Min. 290 |
| Scratch Hardness | MOH's Scale | 5 |
| Chemical Resistance | C650 | Unaffected |
| Frost Resistance | C1026 | Resistant |
| Group | See FAQ's | 4 |
| Deep Abrasion - Unglazed Tiles | C1243 | - |
| PEI - Glazed Tiles | C1027 | 5 |
| Minimum Bond Strength (PSI) | C482 | 165 |
| Dynamic Coefficient of Friction (DCOF) | A137.1 | <=0.45 |
| Shade and Texture Rating | CTDA "V" | V3 |
| Facial Dimensions | C499 | Pass |
| Range of Thickness | C499 | Pass |
| Warpage | C485 | Pass |
| Wedging | C502 | Pass |

Packaging Info

| Size | SF per carton | PC per carton |
|------------|---------------|---------------|
| 3.4"x17.3" | 4.03 | 10 |