


Roca

Atlas



Atlas

Atlas, the dazzling range that is perfectly finished for spaces that seduce with their design, quality and beauty. This series provides a reflection of the taste for a contemporary aesthetic that fuses comfort, functionality and originality.

Atlas Negro 24"x24" R PO

Technical Porcelain

12"x24"- 24"x24"



Atlas Perla 12"x24" R




Atlas Marron 12"x24" R



Atlas Aloe 12"x24" R

Atlas

Technical Porcelain



24"x24" R
60x60cm

12"x24" R
30X60cm

Blanco



24"x24" R UP
TDCAT01-24



24"x24" R PO
TDCAT01-24PO



12"x24" R UP
TDCAT01-1224



12"x24" R PO
TDCAT01-1224PO

Negro



24"x24" R UP
TDCAT02-24



24"x24" R PO
TDCAT02-24PO



12"x24" R UP
TDCAT02-1224



12"x24" R PO
TDCAT02-1224PO

Perla



12"x24" R UP
TDCAT03-1224

Marron



12"x24" R UP
TDCAT07-1224

Aloe



12"x24" R UP
TDCAT06-1224

Azul



12"x24" R UP
TDCAT04-1224

Rojo



12"x24" R UP
TDCAT05-1224

Atlas

Technical Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM	
		Polished	Unpolished
Water Absorption	C373	<=0.1%	<=0.1%
Break Strength	C648	Min. 630	Min. 630
Scratch Hardness	MOH's Scale	5	7
Chemical Resistance	C650	Unaffected	Unaffected
Frost Resistance	C1026	Resistant	Resistant
Group	See FAQ's	3	4
Deep Abrasion - Unglazed Tiles	C1243	Pass	Pass
PEI - Glazed Tiles	C1027	-	-
Minimum Bond Strength (PSI)	C482	165	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.42	>=0.42
Shade and Texture Rating	CTDA "V"	V1	V1
Facial Dimensions	C499	Pass	Pass
Range of Thickness	C499	Pass	Pass
Warpage	C485	Pass	Pass
Wedging	C502	Pass	Pass

Packaging Info

Size	SF per carton	PC per carton
12"x24"	11.62	6
24"x24"	11.62	3