



Transform your space into a place of gathering, exchange and interaction with our Downtown series. This color body porcelain is available in multiple colors and formats that provide a clean and rigorous look.

Color Body Porcelain








Color Body Porcelain

18.7 ⇔	24" R 12"x24" R 0 cm 30x60 cm	
	Blanco	Marengo
	24"x48" R Biosafe FJTR054011 32"x32" R FJTT6AE011 24"x24" R FJTT660011	24"x48" R Biosafe FJTR054031 32"x32" R FJTR0AE031 24"x24" R FJTT660031
	FJTT657011 12"x12" Mosaic	FJTT657031 12"x12" Mosaic 3"x24" Bullnose FJT7T30031 FJT4TBY031
	Gris 24"x48" R Biosafe FJTR054021	Antracita 24"x48" R Biosafe FJTR054311
	32"x32" R FJTROAEO21 24"x24" R FJTT660021 12"x24" R FJTT657021	32"x32" R FJTT6AE311 24"x24" R FJTT66O311 12"x24" R FJTT657311
	12"x12" Mosaic 3"x24" Bullnose FJT7T30021 FJT4TBY021	12"x12" Mosaic 3"x24" Bullnose FJT7T30311 FJT4TBY311



Biosafe Tile

Our new Downtown Biosafe is an innovative tile finish with highly antibacterial properties.

The active substances (composed of silver ions) incorporated into the enamel of the Downtown series are capable of inhibiting the growth of bacteria. This new development increases the degree of safety and confidence in the ceramic material and is suitable for rooms that require extra hygiene.

These antimicrobial properties have been verified by the AINIA technology center by means of a test based on the ISO 22196 standard, which determines the antibacterial capacity of non-porous surfaces.

8 | Downtown | 9

Color Body Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=O.1%
Break Strength	C648	Min. 450
Scratch Hardness	MOH's Scale	7
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	SEE FAQS	4
Deep Abrasion - Unglazed Tiles	C1243	Pass
PEI - Glazed Tiles***	C1027	-
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton
24"x48"	15.50	2
32"x32"	13.78	2
24"x24"	15.50	4
12"x24"	13.56	7
12"x12" Mosaic	5.81	6
3"x24" Bullnose	5.17	10