



Roca

Pavers

Pavers

These 20 mm thick porcelain tiles surpass the high performance, functionality and aesthetics of natural materials used in flooring, which enables their use in exterior environments and high transit areas.



Pavers Evolve Oxford 24"x24" R

Color Body Porcelain

◇ 24"x24" R



Pavers Mason Gray 24"x24" R



Pavers Archstone Silver 24"x24" R



Pavers Evolve Oxford 24"x24" R

Pavers

Color Body Porcelain

20 mm |  |   | **24"x24" R**
60x60 cm




Archstone Silver



24"x24" R
FTARCSG2424T



Evolve Light Gray




24"x24" R
FTEVOGR2424T



Mason Gray



24"x24" R
FTMASGR2424T



Evolve Oxford



24"x24" R
FTEVOOX2424T

Pavers

Color Body Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	≤0.5
Break Strength	C648	Min. 2800
Chemical Resistance	C650	Class A (Resist) ¹
Stain Resistant	C1378	Class A
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
PEI Glazed Tiles	C1027	4
Dynamic Coefficient of Friction (DCOF)	A137.1	≥0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warping	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton
24"x24" R	7.79	2