







Fancy

Fancy, a collection that was created with the aim of softening the concrete finish with its warm colors and silky texture. A perfect choice to design spaces where the decor and furniture take center stage.

PORCELAIN



Fancy

Glazed Porcelain



TANDARD	DECLARED ASTM
SO 10545-2	± 0.6%
SO 10545-3	E <=0.5%
SO 10545-7	Class 4
SO 10545-13	GLA
SO 10545-2	± 0.5%
SO 10545-14	5
41901 EX	Class 1
O 10545-4:9	>=350 lbf
SO 10545-9	Accomplish

PC per carton	BX per pallet	
2	32	

Fancy

Ceramic Wall

11.8"x35.4" 60x120 cm



Lime

11.8"x35.4" 187593N

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO 10545-2	± 0.5%
Water Absorption	ISO 10545-3	E >10%
Chemical Resistance	ISO 10545-13	GA
Flatness	ISO 10545-2	± 0.5%
Crazing Resistance	ISO 10545-11	Accomplish
Resistance to Stains	ISO 10545-14	5
Chemical Resistance Swimmingpool	ISO 10545-13	GA
Breaking Strength	ISO 10545-4:9	>=125 lbf
Frost Resistance	ISO 10545-12	N/A
Resistance to Thermal Shock	ISO 10545-9	Accomplish

Packaging Information

Size	SF per carton	PC per carton	BX per pallet
23.6"x47.2"	14.96	2	32