



The Boheme series offer the strength and practicality of porcelain. While echoing the natural beauty and character of hardwood, it is an ideal choice for spaces that seek to combine durability with the soulful warmth of a well-traveled path.


**Glazed Porcelain** ⊘**⊞** 8″x35″







Glazed Porcelain





8"x35" UBOHEME19CU





#### Natural

**8"x35"** UBOHEME19CE





#### lvory

8"x35" UBOHEME19CU



#### Walnut

8"x35" UBOHEME19CG

Glazed Porcelain

#### Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 290
Scratch Hardness	MOH's Scale	7
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
Deep Abrasion - Unglazed Tiles	C1243	Pass
PEI - Glazed Tiles	C1027	-
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

#### Packaging Info

Size	SF per carton	PC per carton
8"x35"	17.52	9