



Agadir

DUNE
UNIQUE MATTERS

Roca



PORCELAIN

Agadir

Agadir, a series of tiles inspired by the miscellany of this Moroccan city, the richness of zellige and Berber crafts.

Agadir Cotto Claro 5.8"x5.8"



Agadir Cotto Claro 2.8"x11"



Agadir Cotto Claro 2.8"x11"



Agadir Cotto Claro 2.8"x11"


Agadir

Glazed Porcelain

9mm  **2.8"x11"** **5.8"x5.8"**
7x28 cm 14.7x14.7 cm




Cotto Claro


2.8"x11" Mate
188550




Arena


2.8"x11"
188759



Cotto Claro


5.8"x5.8" Mate
188579




Agadir

Glazed Porcelain

9mm  **2.8"x11"** **5.8"x5.8"**
7x28 cm 14.7x14.7 cm




Amaranto


2.8"x11"
188760



Noche


2.8"x11"
188757



Agadir

Glazed Porcelain

Technical Specifications Cotto (5.8"x5.8" & 2.8"x11")

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO 10545-2	± 0.5%
Water Absorption	ISO 10545-3	E≤0.5%
Chemical Resistance	ISO 10545-13	GA
Flatness	ISO 10545-2	± 0.5%
Crazing Resistance	ISO 10545-11	Accomplish
Resistance to Stains	ISO 10545-14	5
Slip Resistance	41901 EX	Class 2
Breaking Strength	ISO 10545-4:9	≥350 lbf
Frost Resistance	ISO 10545-12	Accomplish
Resistance to Thermal Shock	ISO 10545-9	Accomplish

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO 10545-2	± 0.5%
Water Absorption	ISO 10545-3	0.5% < E ≤ 3%
Chemical Resistance	ISO 10545-13	GA
Flatness	ISO 10545-2	± 0.5%
Crazing Resistance	ISO 10545-11	Accomplish
Resistance to Stains	ISO 10545-14	5
Slip Resistance	41901 EX	Class 0
Breaking Strength	ISO 10545-4:9	≥250 lbf
Frost Resistance	ISO 10545-12	Accomplish
Resistance to Thermal Shock	ISO 10545-9	Accomplish

Packaging Information

Size	SF per carton	PC per carton	BX per pallet
5.8"x5.8"	498.15	44	70
2.8"x11"	549.17	26	144