



Roca

Avalon

Avalon

Elegance in essence. A distinctive fusion of stone textures and advanced technology in a floor-to-wall format for extraordinary porcelain tiles. Avalon is a exceptional fusion of stone textures, combined in a unique way.



Avalon Suite Arena 12"x36" R

Glazed Porcelain

48"x48" R, 24"x24" R, 24x48" R , 12"x24" R, 24"x36" R Pavers, 12"x36" R Suite

Avalon

Glazed Porcelain

7-9

mm

M

V3

50%

Waterproof

slim

3mm

Thin

48"x48" R
120x120 cm

24"x24" R
60x60 cm

24"x48" R
60x120 cm

12"x24" R
30x60 cm

12"x36" R
30x90 cm

Blanco



48"x48" R
F10D240011



24"x48" R
F100B54011



24"x24" R
F100B60011




12"x24" R
F100B57371

Suite Blanco



12"x36" R
F10B2AW011

Arena



48"x48" R
F10D240371



24"x48" R
F106B54371



24"x24" R
F100B60371



12"x24" R
F100B57371

Suite Arena



12"x36" R
F10A1AW371

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 350
Scratch Hardness	MOH's Scale	6
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
PEI - Glazed Tiles	C1027	5
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.50
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Technical Specifications (Suite)

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	>=10%
Break Strength	C648	Min. 250
Scratch Hardness	MOH's Scale	-
Chemical Resistance	C650	Unaffected
Group	SEE FAQS	4
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Information


Size	SF per carton	PC per carton	BX per pallet
48"x48" R	15.50	1	42
24"x24" R	15.50	4	30
24"x48" R	23.25	3	30
12"x24" R	15.50	8	48

Packaging Information

Size	SF per carton	PC per carton	BX per pallet
12"x36" R	14.53	5	51


Pavers Avalon

Color Body Porcelain Stoneware



24"x36" R
60x90 cm

Avalon Rock Blanco



24"x36" R
F10237U011

Avalon Rock Arena



24"x36" R
F10237U371



Pavers Avalon Blanco 24"x36" R

Pavers Avalon

Color Body Porcelain Stoneware

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5
Break Strength	C648	Min. 2800
Chemical Resistance	C650	Class A (Resist) ¹
Stain Resistant	C1378	Class A
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
PEI Glazed Tiles	C1027	4
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
24"x36" R	7.80	1	40