



Lagom, the essence of balance and harmony, finds its roots in a contemporary design philosophy that cherishes the beauty of simplicity and functionality. This exquisite collection is a testament to the timeless appeal of wood aesthetics, blending modern minimalism with the warmth and organic character of natural elements.


Glazed Porcelain





4 | Lagom | 5

Glazed Porcelain









Almond

6 | Lagom Lagom | 7

Glazed Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	ISO-10545/3	E <= 0.5%
Break Strength	ISO-10545/4	Min. 1500 N
Chemical Resistance	C650	Class A (Resist) ¹
Stain Resistance	ISO-10545/14	5
Frost Resistance	C1026	Resistant
Thermal Shock Resistance	ISO-10545/9	Resistant
Crazing Resistance	ISO-10545/11	Resistant
Group	See FAQ's	4
PEI- Glazed Tiles	C1027	PEI (V)
Dynamic Coefficient of Friction (DCOF)	A326.3	=O.7O
Shade and Texture Rating	CTDA	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton
10.5"x64"	13.45	3