



**Roca**

**Boreal**



# Boreal

Boreal captures the harmony of earth, water, and light through layered glazes and softly varied tones, creating a refined yet naturally expressive surface.

## Ceramic Wall

 | 6"x12"



Boreal Ocean 6"x12"



Boreal Snow 6"x12"



Boreal Forest 6"x12"

# Boreal

Ceramic Wall



## Snow



6"x12" Bright




## Sandstone



6"x12" Bright




## Forest



6"x12" Bright

# Boreal

Ceramic Wall



## Clay



6"x12" Bright



## Ocean



6"x12" Bright

# Boreal

Ceramic Wall

---

## Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	ISO-10545/3	≤20%
Break Strength	ISO-10545/4	Not Applicable
Chemical Resistance	C650	Unaffected
Scratch Hardness	MOHS	Not Applicable
Group	See FAQ's	1
PEI	C1027	Not Applicable
Dynamic Coefficient of Friction (DCOF)	A326.3	Not Applicable
Shade and Texture Rating	CTDA	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

## Packaging Info

Size	SF per carton	PC per carton	BX per pallet
6"x12"	10.67	22	70

## Recommended Applications

---



INDOR  
WALLS



SHOWER  
WALLS



STEAM ROOM  
WALLS