



Carve

Carve

Add texture and character to your spaces with our Carve series, presenting a soft carved finish on top of a steel color that will remind you of a piece of art.



Carve Steel 12"x24" R

Glazed Porcelain

12"x24" R



Carve Steel 12"x24" R



Carve Steel 12"x24" R

Carve

Glazed Porcelain


12"x24" R
 30x60 cm



Steel



12"x24" R

Technical Specifications (Floor)

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 335
Scratch Hardness	MOH's Scale	4
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	3
Deep Abrasion - Unglazed Tiles	C1243	Pass
PEI - Glazed Tiles	C1027	3
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
12"x24"R	19.38	10	36