



Bergen Wenge 6"x24"


Roca

BERGEN

Glazed Porcelain




Ebano
6"x24"
UFBGEB1-624



Bambu
6"x24"
UFBG231-624



Liana
6"x24"
UFBG421-624



Wenge
6"x24"
UFBG721-624



Abeto
6"x24"
UFBG751-624



Gris
6"x24"
UFBG371-624



Arce
12"x12" Mosaic
FSX0930731



Roble
12"x12" Mosaic
FSX0930741



Wenge
12"x12" Mosaic
FSX0930721



Technical Specs

Characteristics	Standard	Declared ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 350
Scratch Hardness	MOH's Scale	4
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	SEE FAQs	3
Deep Abrasion - Unglazed Tiles	C1243	-
PEI - Glazed Tiles***	C1027	4 (G/A) 3(L) 2 (B/W/E)
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA "V"	V2
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF. Per Carton	Pieces Per Carton
6"x24"	9.15	9
12"x12"	10.66	11

