Roca

Orion II

Orion II Nieve UP 12”x24” R

Orion II

The Orion series presents a modern composition inspired by traditional stone. Available in both matte and polished finishes, this collection is a “go-to” when looking for something functional, durable and contemporary.

Technical Porcelain

24”x24” R - 12”x24” R

Orion II

Technical Porcelain

9-10* mm | P | M | V3

24"x24"R 60x60 cm

12"x24"R 30x60 cm



Nieve

24"x24" R UP
TDPOR01-24

24"x24" R PO
TDPOR01-24PO

12"x24" R UP
TDPOR01-1224

12"x24" R PO
TDPOR01-1224PO



Antracita

24"x24" R UP
TDPOR03-24

24"x24" R PO
TDPOR03-24PO

12"x24" R UP
TDPOR03-1224

12"x24" R PO
TDPOR03-1224PO

Gris

24"x24" R UP
TDPOR02-24

24"x24" R PO
TDPOR02-24PO

12"x24" R UP
TDPOR02-1224

12"x24" R PO
TDPOR02-1224PO

Orion II

Technical Porcelain

UP Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM	
		Unpolished	Polished
Water Absorption	C373	<=0.1%	<=0.1%
Break Strength	C648	Min. 630	Min. 580
Scratch Hardness	MOH's Scale	7	5
Chemical Resistance	C650	Unaffected	Unaffected
Frost Resistance	C1026	Resistant	Resistant
Group	See FAQ's	4	3
Deep Abrasion - Unglazed Tiles	C1243	Pass	Pass
PEI - Glazed Tiles	C1027	-	-
Minimum Bond Strength (PSI)	C482	165	165
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42	<=0.42
Shade and Texture Rating	CTDA "V"	V3	V3
Facial Dimensions	C499	Pass	Pass
Range of Thickness	C499	Pass	Pass
Warpage	C485	Pass	Pass
Wedging	C502	Pass	Pass

Packaging Info

Size	SF per carton	PC per carton
12"x24"	11.62	6
24"x24"	11.62	3