



Roca

silvertone

glazed porcelain



Silvertone Taupe



Silvertone Mud



Silvertone Marfil



Silvertone Taupe



Silvertone Gris



Silvertone Beige



Silvertone Mud

Available Sizes

12"x24"

24"x24"

24"x48"

TECHNICAL INFORMATION

CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	<=0.5%
Break Strength	ISO-10545/4	290 Lbs
Scratch Hardness	EN-101	6
Chemical Resistance	ISO-10545/13	Unaffected
Frost Resistance	ISO-10545/12	Resistant
Group	ISO-10545/7	4
Minimum Bond Strength (PSI)	C482	
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA	V2
Facial Dimensions	ISO-10545/2	Pass
Range of Thickness	ISO-10545/2	Pass
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass
PEI	C1027	4

PACKAGING INFORMATION

SIZE	SF PER CARTON	PC PER CARTON
12"x24"	11.62	6
24"x24"	11.62	3
24"x48"	15.49	2