



Roca

bosco

color body porcelain & ceramic wall





Bosco Gris



Bosco Roble



Bosco Vison

Available Size

8"x48"

TECHNICAL INFORMATION

CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	<=0.5%
Break Strength	ISO-10545/4	450 Lbs
Scratch Hardness	EN-101	6
Chemical Resistance	ISO-10545/13	Unaffected
Frost Resistance	ISO-10545/12	Resistant
Group	ISO-10545/7	4
Dynamic Coefficient of Friction (DCOF)	A137.1	>=0.42
Shade and Texture Rating	CTDA	V3
Facial Dimensions	ISO-10545/2	Pass
Range of Thickness	ISO-10545/2	Pass
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass

PACKAGING INFORMATION

SIZE	SF PER CARTON	PC PER CARTON
8"x48"	10.12	4



Suite Bosco Gris



Suite Bosco Roble



Suite Bosco Vison

Available Size

12"x24"

TECHNICAL INFORMATION		
CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	>10%
Break Strength	ISO-10545/4	N/A
Scratch Hardness	EN-101	-
Chemical Resistance	ISO-10545/13	Unaffected
Shade and Texture Rating	CTDA	V2
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass

PACKAGING INFORMATION		
SIZE	SF PER CARTON	PC PER CARTON
12"x24"	13.56	7