



Roca

hotel

ceramic wall



Hotel Blanco



Hotel Beige



Hotel Vison


TECHNICAL INFORMATION

CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	>10%
Break Strength	ISO-10545/4	N/A
Scratch Hardness	EN-101	-
Chemical Resistance	ISO-10545/13	Unaffected
Shade and Texture Rating	CTDA	V3
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass

PACKAGING INFORMATION

SIZE	SF PER CARTON	PC PER CARTON
12"x36"	14.56	5

Available Size





Suite Hotel Blanco



Suite Hotel Beige



Suite Hotel Vison

TECHNICAL INFORMATION

CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	>10%
Break Strength	ISO-10545/4	N/A
Scratch Hardness	EN-101	-
Chemical Resistance	ISO-10545/13	Unaffected
Shade and Texture Rating	CTDA	V3
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass

PACKAGING INFORMATION

SIZE	SF PER CARTON	PC PER CARTON
12"x36"	14.56	5

Available Size

