



Roca

Terre


glazed porcelain



Terre Grafito



Terre Gris




Terre Blanco



Terre Gris



Terre Beige



Terre Grafito


TECHNICAL INFORMATION

CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	<=0.5%
Break Strength	ISO-10545/4	290 Lbs
Scratch Hardness	EN-101	7
Chemical Resistance	ISO-10545/13	Unaffected
Frost Resistance	ISO-10545/12	Resistant
Group	ISO-10545/7	4
Minimum Bond Strength (PSI)	C482	
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.42
Shade and Texture Rating	CTDA	V3
Facial Dimensions	ISO-10545/2	Pass
Range of Thickness	ISO-10545/2	Pass
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass
PEI	C1027	5

PACKAGING INFORMATION

SIZE	SF PER CARTON	PC PER CARTON
12"x24"	13.563	7
24"x24"	10.656	5
24"x48"	14.531	5

Available Sizes





Terre Suite Blanco



Terre Suite Gris



Terre Suite Beige



Terre Suite Grafito

TECHNICAL INFORMATION

CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	>10%
Break Strength	ISO-10545/4	N/A
Scratch Hardness	EN-101	-
Chemical Resistance	ISO-10545/13	Unaffected
Shade and Texture Rating	CTDA	V2
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass

PACKAGING INFORMATION

SIZE	SF PER CARTON	PC PER CARTON
12"x36"	14.53	5

Available Sizes

12"x36"



Terre Deko Gris



Terre Deko Beige

TECHNICAL INFORMATION		
CHARACTERISTICS	STANDARD	Declared ASTM
Water Absorption	ISO-10545/3	>10%
Break Strength	ISO-10545/4	N/A
Scratch Hardness	EN-101	-
Chemical Resistance	ISO-10545/13	Unaffected
Shade and Texture Rating	CTDA	V2
Warpage	ISO-10545/2	Pass
Wedging	ISO-10545/2	Pass

PACKAGING INFORMATION		
SIZE	SF PER CARTON	PC PER CARTON
12"x36"	14.53	5

Available Sizes

12"x36"
