



Roca

Basalt



PORCELAIN

Basalt

The beautiful interpretation of volcanic rock presents an interesting proposal in the matte finish of a sober, neutral, and minimalist stone.

Basalt 12"x24"

Porcelain Tile

12"x24"

Basalt

Porcelain Tile

8.5

mm

M

V3

12"x24"

300x600 cm

White

12"x24"

UBASALT16BU


Other Faces



Gray

12"x24"

UBASALT16BI



Basalt

Porcelain Tile

8.5

mm

M

V3

12"x24"

300x600 cm

Graphite

12"x24"

UBASALT16BW

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 275
Chemical Resistance	C650	Class A (Resist) ¹
Stain Resistance	C1378	Class A
Frost Resistance	C1026	Resistant
Thermal Shock Resistance	C484	Resistant
Crazing Resistance	C424	Resistant
Group	See FAQ's	4
PEI- Glazed Tiles	C1027	PEI (IV)
Dynamic Coefficient of Friction (DCOF)	A326.3	>=0.42
Shade and Texture Rating	CTDA "V"	V3
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Other Faces



Packaging Info

Size	SF per carton	PC per carton	Bx per pallet
12"x24"	17.44	9	32